


THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL INTERNATIONAL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
A1	—						
PROJECT NO. B902281			A1	redrawn Eg00-0317-00	07.02.00	SR	SM
			A2	REVISED PER ECO-11-002591	11FEB11	HMR	MM



Notes,


- 1 Material: insert, PC
UL-File Nr.: E101788(R)
- 2 Finish: contact: Ag

Bemerkungen,

- 1 Material: Einsatz: PC
UL-File Nr.: E101788(R)
- 2 Oberfläche: Kontakt: Ag

Kontaktanordnung
Contact arrangement

Ansicht Anschlußseite
view from termination side



1	Lock Washer V3,2 V3,2	Steel	galvanized	3	Lock washer separately in poly bags
1	Countersunk screw M3x6	Steel	galvanized	2	screws separately in poly bags
1	Pin Insert HE-Q5	1	light-grey	1	-
0-1	DESCRIPTION / BENENNUNG	MATERIAL	COLOR / FARBE	ITEM NO. POS.	REMARKS / BEMERKUNGEN
HE-Q5.Sti.C	THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Schneider 07.02.2000	Tyco Electronics Corporation Harrisburg, Pa 17105-3608	
	DIMENSIONS: mm		CHK Schweiger 07.02.2000		
	TOLERANCES UNLESS OTHERWISE SPECIFIED: GENERAL TOLERANCES		APVD	NAME	
	n. ISO 8015 n. ISO 2768 - mH -E n. DIN 16901 - 140 0 PLC ± - 1 PLC ± - 2 PLC ± - 3 PLC ± - 4 PLC ± - ANGLES ± -		PRODUCT SPEC	Male insert Stifteinsatz HE-Q5.Sti.C	
MATERIAL		FINISH	APPLICATION SPEC	SIZE	CAGE CODE
1		2	WEIGHT	—	A3 00779
CUSTOMER DRAWING			RESTRICTED TO	DRAWING NO	SCALE
			—	C-1102195	1:1
					SHEET 1 OF 1
					REV A2